Welcome to you SF Group

Sf water purifier System

आखिरी बून्द तक असरकारक



आप सिर्फ बटन दबाइये बाकि काम Sf करेगा



Customer care no. 9522223700 For Service Time 10:00 AM to 06:00 PM

Head office

Krishna Daimond Hill, Gali No. 2, Plot No. 23/24 Bade Rampur Raigarh Chhattisgarh 496001 Timing – 10:00 AM To 06:00 PM (Mon to Sat) Lunch Time 01:30 PM To 02:00 PM For Enquiry - 07762-442490, 9522223700 Email – support@sftech.co.in Website – www.sftech.co.in

<u>A Group of RMEX India Private Limited</u> CIN -<u>U27500CT2024PTC016652</u>, PAN -<u>AANCR8365F</u>, TAN-JBPR08656E

Manufacturing Address-

133/3, DSIIDC Industrial Area, Sector 2, Bawana, Delhi, 110039

सम्मानीय ग्राहक के लिए कुपया जरूर पढ़े

सम्मानीय ग्राहक - सबसे पहले आपको नमस्कार आज आप हमारे एस एफ ग्रुप का सदस्य बन रहे हैं आपका बहुत बहुत स्वागत है एक आपके सम्पूर्ण परिवार के लिए हमारी कंपनी द्वारा आपके द्वारा पिये जाने वाले पानी के लिए हेल्थी उपकरण बना कर दिया जा रहा है ,जो की आपके घर का पानी को मिनरल ,अलका लाइन और माइक्रोक्लस्टर से भरपूर पीने योग्य बनाकर देता है जो की आपके परिवार के हेल्थ के लिए जरुरी है ,एस एफ ग्रुप का सदस्य बनने पर आपका बहुत बहुत धन्यवाद |

नया डिवाइस इंस्टालेशन - जब आप हमारा नया डिवाइस खरीदते है तो 24 घंटे के भीतर आपका डिवाइस आपके घर पर इनस्टॉल कर दिया जायेगा | जिसके लिए आप परचेस बिल या प्रोडक्ट नंबर और इंस्टालेशन लोकेशन की जानकारी फ़ोन करके या वाट्स अप्प ,9522223700 पर भेजने की कृपा करें |

सर्विस के लिए - अच्छा सर्विस के लिए आप अपने पास वाटर टेस्टिंग किट जरूर रखिये जिससे आप अपने पानी को बीच बीच में चेक कर सकते हैं यदि वह गुणवत्ता नहीं मिलता है तो आप सर्विस के लिए बिलकुल लोकेशन की जानकारी फ़ोन करके या वाट्स अप्प 9522223700 पर भेजने की कृपा करें | 24 घंटे के भीतर आपके उपकरण की सर्विस किया जायेगा ,अपने मशीन की लाइफ टाइम रख रखाव के लिए सिर्फ कंपनी के अधिकृत सर्विस इंजीनियर से ही सर्विस कराये अन्य सर्विस इंजीनियर से सर्विस कराने पर वारन्टी और ग्यारंटी समाप्त हो जायेगा |

उपकरण के बारे में - वाटर प्यूरीफायर उपकरण पर 1 वर्ष की ग्यारंटी और 6 वर्ष की सर्विस वारंटी कंपनी द्वारा दिया गया है इसलिए सिर्फ आप कंपनी से ही उपकरण की सर्विस कराइये |

<u>Account Number</u> - Only one account is valid for payment transactions in the company, transactions done in other accounts will not be valid as given below.

Bank Account Details

Bank Name – Canara Bank
Account Holder Name – S F Group
Account Number – 125002950268
IFSC Code –CNRB0003329
Bank Address – Handi Chauk Raigarh Chhattisgarh 496001

UPI - 312101749950268@cnrb





<u>GST Number</u> – Company GST number is given which includes 18% GST on all goods. GST Number – 22COCPS7666Q2Z2

Address - Krishna Daimond Hill, Gali No. 2, Plot No. 23/24 Bade Rampur Raigarh Chhattisgarh 496001

Welcome to you in SF Group


Water purifier and RO Product Advance Technology - A Breakthrough in Water Purification

Company Profile - This is a reliable organization that makes better products keeping in mind the purity of your potable water so that you get good drinking water; this organization is certified by ISO 9001: 2015 Quality Management System, ISO 14001:2015 Environmental management systems, ISO 45001:2018 Occupational health and safety management systems, Machinery Directive 2006/42/EC", and RoHS 2011/95/EC.

Congratulations and warm welcome to the pure and healthy water world of 'SF Group' RO water purification Systems.SF Group RO systems provide the highest level of purity, safety and convenience in your home or office, assuring you the purest and healthy water possible with RO Technology's Group RO purification technology provides purification by RO combined with Bio Mineral (pH) Cartridge + Sediment + carbon Cartridges + RO Membrane + UV + Alkaline with Activated Copper. The carbon and sediment filters remove both suspended impurities such as chemicals and various organic impurities including chlorine. The RO Membrane removes even dissolved impurities (salts and heavy metals) as well as harmful micro-organisms (bacteria, viruses etc.) and the RO system purifies all kinds of water and converts bore well / municipal water to pure, sweet and healthy drinking water. Along with a Bio Mineral Cartridge it also incorporates a UV sterilization process (Optional) to give double protection form harmful micro-organisms. Most of the Models allow the user to adjust the Total dissolved Solids (TDS level of the purified water) and can also control pH Level and Minerals with Minerals Tuner which are essential for human body.

Home Use RO System Advance Technology

- Model SF110
- Ro + Uv + Tds + Mineral
- Water flow up to 3000 TDS
- Tank Capacity 10 Liters
- Power On indicator
- Water Purification Indicator
- Tank Full Indicator











- Ro + Uv + Tds + Mineral
- Anti Bacterial + Alkaline + Anti Oxidant
- Micro Cluster + Neutral Water
- Water flow up to 3000 TDS
- Tank Capacity 10 Liters
- Power On indicator
- Water Purification Indicator
- Tank Full Indicator
- Weight 8 Kg

Rate- 29900.00/- Include all tax





Commercial Use RO System Advance Technology

- Model SF125
- Ro + Uv + Tds + Mineral
- Water flow up to 3000 TDS
- Installation: Wall Mounted
- Storage: Can be attached to external storage easily
- weight: 12kg (Approx)
- Color: Blue
- Min. inlet Pressure/ Temp: 0.3 kg/cm,35 C
- Max. inlet Pressure/Temp: 3.5 kg/Cm2,35 C
- CBM: 0.07


Rate- 24900.00/- Include all tax




Model SF125 6 G+



- Ro + Uv + Tds + Mineral
- Anti Bacterial + Alkaline + Anti Oxidant
- Micro Cluster + Neutral Water
- Water flow up to 3000 TDS
- Installation: Wall Mounted
- Storage: Can be attached to external storage easily
- weight: 12kg (Approx)
- Color: Blue
- Min. inlet Pressure/ Temp: 0.3 kg/cm,35 C
- Max. inlet Pressure/ Temp: 3.5 kg/Cm2,35 C
- CBM: 0.07



SF Group



- Ro + Uv + Tds + Mineral
- Water flow up to 3000 TDS
- Installation: Wall Mounted
- Storage: Can be attached to external storage easily
- weight: 17kg (Approx)
- Color: Blue
- Min. inlet Pressure/ Temp: 0.3 kg/cm,35 C
- Max. inlet Pressure/Temp: 3.5 kg/Cm2,35 C
- CBM: 0.14

Rate- 29900.00/- Include all tax





Model SF150 6 G+



- Ro + Uv + Tds + Mineral
- Anti Bacterial + Alkaline + Anti Oxidant
- Micro Cluster + Neutral Water
- Water flow up to 3000 TDS
- Installation: Wall Mounted
- Storage: Can be attached to external storage easily
- weight: 17kg (Approx)
- Color: Blue
- Min. inlet Pressure/ Temp: 0.3 kg/cm,35 C
 Max. inlet Pressure/ Temp: 3.5 kg/Cm2,35 C
- CBM: 0.14

Rate- 49900.00/- Include all tax



SF Zero Wastage Water Purifier

- Advance technology System
- No RO
- Save all Minerals of your water
- UV system no bacteria
- Harmful dust and sands Remove
- A Healthy water purifier
- Life time service warranty
- 1 year guarantee SMPS, UV Panel





यह वाटर प्यूरीफायर आपके पानी के मिनरल को बनाये रखता है और पानी में पाए जाने वाले हार्मफुल बैक्टीरिया को मारकर आपके द्वारा पिये जाने वाले पानी को शुध्द बनाता है |

Price - 3900/-


Water Testing Kit

- Check Water TDS
- Check Water PH
- Check Water ORP

Rate 490.00/- Include all tax .



Water TDS Tester



Rate- 250.00/- Include all tax

Water Electrolyzer

WATER QUALITY DETECTOR TDS TEST PEN









इससे आप पानी को एलेक्ट्रोलाइज करके पानी के गन्दगी को देख सकते हैं यदि पानी का टीडीएस 200 से ऊपर है तब इसका उपयोग कीजिये यदि पानी का टीडीएस 70 से कम है तो यह कार्य नहीं करेगा | Rate- 390.00/- Include all tax

<u>Product Tracking</u> - To get good service of guarantee and warranty while buying your product, it is mandatory to register the product, in which you will get the product number online, which you can track on the company's website and you can get service all over India.

Installation Instructions

The SF Group RO is a product of advanced technology, which ensures safe and clean drinking water. The purifier is easy and convenient to install.

Recommended Site Preparations:

- 1. 110-240 v single phase AC connections not longer than 60cms point of installation of the purifier.
- 2. Raw water supplies with $\frac{1}{2}$ " nipple not more than 3m away.
- 3. Drain for rejected water not more than 3m away.
- 4. Space as per dimension of the purifier.
- 5. Wall/plane surface for mounting two screws and holding the machine.
- 6. It is preferable to install the purifier near a sink so that inlet and reject water lines are easily available

Note- All Machine in 1 Year Guarantee and 6 Years Service Warrantee

Customer care no. 9522223700

For Service Time 09:00 AM to 7:00 PM



पानी पिने के लिए महत्वपूर्ण स्झाव अवश्य जानिए

हमारे शरीर में पिये जाने वाला पानी कैसा हो ? - संलग्न चित्र के अनुसार पानी को तीन भागो में बांटा गया है ,1. एसिडिक वाटर 2. न्यूट्रल वाटर और 3. अल्कलाइन वाटर रही बात पानी की तो एसिडिक वाटर से शरीर को बहुत ज्यादा नुकसान होता है यदि हम लगातार इस पानी को पीते हैं तो 24 वर्ष उम्र के बाद हमें कई बीमारी हो सकता है जैसे, पेट में गैस बनना ,ब्लड प्रेशर ,सुगर ,माइग्रेन ,घुटनो में दर्द और अन्य कई गंभीर कैंसर जैसे बीमारी हो सकता है ,दूसरा न्यूट्रल वाटर यह सामान्य पानी है इससे शरीर को कोई नुकसान नहीं है ,एल्कलाइन पानी क्षारीय होता है चित्र के अनुसार 7.5 से 9.5 РН तक का पानी यदि हम पीते हैं तो यह शरीर के एसिडिक लेबल को कंट्रोल करता है और उपरोक्त सभी बीमारी को कंट्रोल करता है इससे ज्यादा पी एच का पानी नहीं पीना चाहिए जो की शरीर के लिए हार्मफुल होता है | यदि हम लगातार अल्कलाइन पानी पी रहे हैं तो हमें बिच में न्यूट्रल वाटर भी पीना चाहिए ,जिससे शरीर हमेशा स्वथ्य रहेगा |



पानी का पी एच कैसे चेक करे ? - घर में पानी का पी एच चेक करना आसान है इसके लिए किसी भी

केमिकल शॉप से यूनिवर्सल इंडिकेटर का छोटा डिब्बा लेकर आप 10 ML पानी में 2,3 ड्राप डालकर उसे घोल ले 10 सेकंड बाद उपरोक्त चित्र के अनुसार कलर का पहचान करे, चित्र के अनुसार जो कलर पानी




का प्राप्त होता है आपका पानी का वहीं पी एच होगा | एक पीने योग्य अल्कलाइन पानी में ,अच्छा पी एच ,नेगेटिव ओ आर पी , एंटीऑक्सीडेंट और स्माल माइक्रोक्लास्टार ग्रुपिंग होता है जो की शरीर के

लिए बहुत लाभदायक होता है |

Universal indicator PH Bottle

पानी में एंटीऑक्सीडेंट और नेगेटिव ओ आर पी कैसे चेक करें ? -यह चेक करना आसान है इसके लिए किसी भी केमिकल शॉप से फिनाप्थेलिन का छोटा डिब्बा लेकर आप 10 ML पानी में 2,3 ड्राप डालकर उसे घोल ले 10 सेकंड बाद संलग्न चित्र के अनुसार पिंक कलर (गुलाबी रंग) आता है तो आपके पानी में एंटीऑक्सीडेंट और नेगेटिव ओ आर पी है |





Phenolphthalein ORP Test Bottle

अल्कलाइन पानी को कैसे पिये ? - यदि आप, शरीर को हमेशा स्वथ्य बनाये रखना है तो यह पानी हमेशा कोई भी खाना खाने के साथ में कभी न पिये ,या तो आप खाना खाने के 40 मिनट पहले या 40 मिनट बाद में पिये ,उम्र और वजन के अनुसार एक आदमी को जिसका वजन (50 से 60 किलो है प्रति दिन 3 से 5 लीटर) पानी पीना चाहिए |

एस एफ वाटर प्यूरीफायर मशीन में आपको अल्कलाइन पानी के साथ साथ न्यूट्रल वाटर भी मिलता है जिसका उपयोग करें ।





5F110

Home Use Per hour 15 liter Purification Capacity

WATER PURIFIER

आप सिर्फ बटन दबाइये बाकि काम Sf करेगा

☑ अपने घर का पानी हमारे एक्सपर्ट से अभी चेक कराइये वह भी मुफ्त ☑ आपके परिवार के स्वास्थ्य का रखे ख्याल ,हमेशा एक्टिव और एसिडिटी मुक्त रहें

1 YEAR Guarantee
6 YEAR
Service Warrantee

TDS

टी डी एस कंट्रोल करे और आपको दे सर्वश्रेष्ठ पेयजल

ANTI BACTERIAL

स्मार्ट यू वी बैक्टिरिया मारे और आपको रखे एकदम स्वस्थ

ALKALINE

आपके साधारण पानी को बनाए उपर्युक्त अल्कालाइन गुणों से यक्त पानी

ANTI OXIDANT

आपको दे एंटीऑक्सीडेंट गुणों से युक्त पानी

MICRO CLUSTER

माइक्रो कलस्टर आपके शरीर को पर्याप्त पानी से पोषित करे

NETURAL WATER

अनोखी मशीन जो न्युट्रेल पानी भी दे

Head Office Krishana Daimond Hill Gali No. 2 Plot No. 24 Baderampur Raigarh Chhattisgarh 496001







1YEAR Guarantee

6 YEAR
Service Warrantee

आखिरी बून्द तक असरकारक <</p>

5F125

Commercial Use Per hour 25 liter Purification Capacity

WATER PURIFIER'

आप सिर्फ बटन दबाइये बाकि काम Sf करेगा

अपने आफिस का पानी हमारे एक्सपर्ट से अभी चेक कराइये वह भी मुफ्त आज ही अपने ऑफिस में इनस्टॉल करें ,और नयी ऊर्जा के साथ कार्य करें क्योंकि एस एफ आपके स्वास्थ्य का रखे ख्याल, हमेशा एक्टिव और एसिडिटी मुक्त रहें

TDS

टी डी एस कंट्रोल करे और आपको दे सर्वश्रेष्ठ पेयजल

ANTI BACTERIAL

🦱 स्मार्ट यु वी बैक्टिरिया मारे और आपको रखे एकदम स्वस्थ

ALKALINE

🧑 आपके साधारण पानी को बनाए उपर्युक्त अल्कालाइन गुणों से युक्त पानी

ANTI OXIDANT

🔘 आपको दे एंटीऑक्सीडेंट गुणों से युक्त पानी

MICRO CLUSTER

माइक्रो कलस्टर आपके शरीर को पर्याप्त पानी से पोषित करे

NETURAL

अनोखी मशीन जो न्युट्रेल पानी भी दे

Head Office Krishana Daimond Hill Gali No. 2 Plot No. 24 Baderampur Raigarh Chhattisgarh 496001







अाखिरी बून्द तक असरकारक

5F150

Commercial Use Per hour 50 liter Purification Capacity

WATER PURIFIER

आप सिर्फ बटन दबाइये बाकि काम Sf करेगा



आज ही अपने ऑफिस में इनस्टॉल करें ,
 और नयी ऊर्जा के साथ कार्य करें क्योंकि
 एस एफ आपके स्वास्थ्य का रखे ख्याल,
 हमेशा एक्टिव और एसिडिटी मुक्त रहें

अपने आफिस का पानी हमारे एक्सपर्ट से
 अभी चेक कराइये वह भी मुफ्त



T D S टी डी एस कंट्रोल करे और आपको दे सर्वश्रेष्ठ पेयजल

ANTI BACTERIAL स्मार्ट यू वी बैक्टिरिया मारे और आपको रखे एकदम स्वस्थ

ALKALINE आपके साधारण पानी को बनाए उपर्युक्त अल्कालाइन गुणों से युक्त पानी

ANTI OXIDANT आपको दे एंटीऑक्सीडेंट गुणों से युक्त पानी

MICRO CLUSTER माइक्रो कलस्टर आपके शरीर को पर्याप्त पानी से पोषित करे

NETURAL WATER अनोखी मशीन जो न्युट्रेल पानी भी दे

Head Office Krishana Daimond Hill Gali No. 2 Plot No. 24 Baderampur Raigarh Chhattisgarh 496001





S PURIFIER

आखिरी बून्द तक असरकारक

Your Health is Your Wealth, Save Your Health with SF Alkaline Rich Water





TDS

टी डी एस कंट्रोल करे और आपको दे सर्वश्रेष्ठ पेयजल

Anti Bacterial

स्मार्ट यू वी बैक्टिरिया मारे और आपको रखे एकदम स्वस्थ

Alkaline

आपके साधारण पानी को बनाए उपर्युक्त अल्कालाइन गुणों से युक्त पानी

Antioxidant

आपको दे एंटीऑक्सीडेंट गुणों से युक्त पानी

Neutral Water

अनोखी मशीन जो न्युट्रेल पानी भी दे

Micro Cluster

माइको कलस्टर आपके शरीर को पर्याप्त पानी से पोषित करे

For Enquiry : 0

07762-442490, 9522223700

Corporate Office :

Krishna Daimond Hill, Gali No. 2 , Plot No. 23/24 Bade Rampur Raigarh (C.G.) 496001

Email – support@sftech.co.in

Website – www.sftech.co.in



DECLARE THAT THE TECHNICAL FILE OF PRODU HE REQUIREMENT OF "MACHINERY DIRECTIVE 200

SF GROUP NAME

KRISHAN DIAMOND HILL, GALI NO. 2, PLOT N RAIGARH CHHATTISGARH-496001, INIDA. ADDRESS :

PRODUCTS RO AND ELECTRONICS, ELECTRICAL MANUFACTURING

Complies with the requirements applicable to it

Technical Construction File (TCF) has been assessed, approved an according to the Machinery Directive 2006/42/EC"

This certificate is issued under the following conditions

- are changed
- The certificate validity is conditioned by positive results or surveillance audits
- The CE mark as shown above can be used, under the responsibility of the manufacturer after completion of an EC Declaration of conformity and compliance with all relevant E Directives. The statement is based on a single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production

Date of Certification 1st Surveillance Audit Date 2nd Surveillance Audit Date Certificate Expiry Date

(subject to the company maintaining its em to the required standard)

> Authorized Signatory Global Certification Services

Email: globalcertification@ymail.com,

21/08/2023 XXXXXXX XXXXXXX







SF GROUP

KRISHAN DIAMOND HILL, GALI NO. 2, PLOT NO. 23/24 BADE RAMPUR RAIGARH CHHATTISGARH-496001, INIDA.

has been assessed by Global Certification Services and found to comply the requirements of

ISO 45001:2018

Occupational health and safety management systems

RO AND ELECTRONICS, ELECTRICAL MANUFACTURING WORK

The Validity of Certificate is subject to regular surveillance audit on or before below mentioned dates and it's only valid after successful surveillance with continuation letter issued by GCS.

Initial Date of Certification: 21/08/2023

Current Date of Certification: 21/08/2023

Date of Expiry : **20/08/2026**

1st Surveillance Audit

XXXXXXX

2nd Surveillance Audit

XXXXXXXX

Certification Number :

XXXXXXXXXX



Authorized signatory

Global Certification Services

Streling green View-1, Chunabhati, Bhopal, (M.P.), India. Mo:8109031371 Email: globalcertification@ymail.com, Check the Certificate validity please refer - Website:www.globalcertification.co.in







SF GROUP

KRISHAN DIAMOND HILL, GALI NO. 2, PLOT NO. 23/24 BADE

RAMPUR RAIGARH CHHATTISGARH-496001, INIDA.

has been assessed by Global Certification Services Global Certification Services Global Certification Services Global has been assessed by Global Certification Services and Services Global Services Global Certification Services and Services Global Certification Services Globa

ISO 14001:2015

Environmental management systems

FOR THE FOLLOWING ACTIVITIES

RO AND ELECTRONICS, ELECTRICAL MANUFACTURING WORK

The Validity of Certificate is subject to regular surveillance audit on or before below mentioned dates and it's only valid after successful surveillance with continuation letter issued by GCS.

Initial Date of Certification: 21/08/2023

Current Date of Certification: 21/08/2023

Date of Expiry :

20/08/2026

1st Surveillance Audit
XXXXXXX
2nd Surveillance Audit

XXXXXXXX

Certification Number :

XXXXXXXXXXX



Authorized signatory
Global Certification Services

Streling green View-1, Chunabhati, Bhopal, (M.P.), India.

Mo:8109031371 Email: globalcertification@ymail.com,
Check the Certificate validity please refer - Website:www.globalcertification.co.in







This is to Certify That

SF GROUP

KRISHAN DIAMOND HILL, GALI NO. 2, PLOT NO. 23/24 BADE RAMPUR
RAIGARH CHHATTISGARH-496001, INIDA.

Compliance with the requirement of the, "Restriction of Hazardous Substance Directive" the quality system for these local Certification Services Global Cert

This certificate is issued in pursuant to the assessment done under the provision

RoHS 2011/95/EC

FOR THE FOLLOWING ACTIVITIES:

RO AND ELECTRONICS, ELECTRICAL MANUFACTURING WORK

The Validity of Certificate is subject to regular surveillance audit on or before below mentioned dates and it's only valid after successful surveillance with continuation letter issued by GCS.

Initial Date of Certification: 21/08/2023

Current Date of Certification: 21/08/2023

Date of Expiry : **20/08/2026**

1st Surveillance Audit

xxxxxxx 2024

2nd Surveillance Audit

tification Services Global Certification Services Global Certifica

Certification Number :

XXXXX



Streling green View-1, Chunabhati, Bhopal, (M.P.), India.
Mo:8109031371 Email: globalcertification@ymail.com,
To Check the Certificate validity please refer - Website:www.globalcertification.co.in









SF GROUP

KRISHAN DIAMOND HILL, GALI NO. 2, PLOT NO. 23/24 BADE RAMPUR RAIGARH CHHATTISGARH-496001, INIDA.

has been assessed by Global Certification Services and found to comply the requirements of

ISO 9001:2015

Quality Management Systems

FOR THE FOLLOWING ACTIVITIES

RO AND ELECTRONICS, ELECTRICAL MANUFACTURING WORK

The Validity of Certificate is subject to regular surveillance audit on or before below mentioned dates and it's only valid after successful surveillance with continuation letter issued by GCS.

Initial Date of Certification: 21/08/2023

Current Date of Certification: 21/08/2023

Date of Expiry :

20/08/2026

1st Surveillance Audit

XXXXXXX

2nd Surveillance Audit

XXXXXXXX

Authorized signatory

Global Certification Services

Streling green View-1, Chunabhati, Bhopal, (M.P.), India.
Mo:8109031371 Email: globalcertification@ymail.com,
To Check the Certificate validity please refer - Website:www.globalcertification.co.in

Certification Number:

XXXXXXXXXXX





SF GROUP SF WATER PURIFIER (An ISO 9001:2015Certified Organization)

Ref No. 2023/25

Date 24/11/2023

प्रति

प्ताः भक्रियता

लोक स्वास्थ्य यांत्रिकी विभाग चक्रधर नगर रायगढ़ छत्तीसगढ़

विषय - एस एफ वाटर प्यूरीफायर और टैप वाटर के पानी की गुणवत्ता जाँच हेतु आवेदन पत्र , महोदय ,

निवेदन है की मैं नरेश कुमार साहू पिता श्री हेमलाल साहू निवासी ग्राम डूमरपाली पोस्ट उसरौत थाना भूपदेवपुर तहसील और जिला रायगढ़ छत्तीसगढ़ 496001 से हूँ, यह की एस एंफ़ ग्रुप वाटर प्यूरीफायर बनाने वाली एक ब्रांड जिसका मुख्य कार्यालय कृष्णा डायमंड हिल गली नंबर 2 प्लाट नंबर 23/24 बडेरामपुर रायगढ़ छत्तीसगढ़ 496001 में है हमारे आर्गेनाइजेशन द्वारा पिने वाले पानी से सम्बंधित डिवाइस बनाया जा रहा है जो लोगों के हेल्थ से सम्बंधित है इसलिए प्यूरीफायर का 1 लीटर पानी और टैप वाटर का 1 लीटर पानी आपके ऑफिस में लैब टेस्टिंग के लिए आज दिनांक को भेजा जा रहा है आपसे निवेदन है की कृपया पानी का पैरामीटर चेक कर हमें जानकारी और सर्टिफिकेट प्रदान करने की कृपा करें।

धन्यवाद

For, SF Group

Proprietor

NIK. Soh

Chief Managing Director

Mr. Naresh Kumar Sahu

SF Water Purifer



OFFICE OF THE ASSISTANT ENGINEER P.H.E. SUB DIVISION RAIGARH

DISTRICT WATER TESTING LAB

No.:	53	/AE/PHESD/ Raigarh
7.40.0		

Dated 30.11, 23

PERFORMA BILL

Kindly arrange to deposit the cost of following materials demanded through you

/Letter No. 25 Dated 24. 11.23 as details given below, the amount may be

diposited in favour of the Executive Engineer P.H.E. Div. Raigarh

Name of Tests Quantity Rate Unit	sts Quantity Rate Unit Amount
Mr. Noresh Kumar Solw. S.F. woder purifier Raigarh. Physical & chemical of Nos 300=00 per lest of water Sample	Kurman Infier Chemical $02 \text{ NB} 360=\infty$ per $600=\infty$ er Somple er Lest of $02 \text{ NOS} 100=\infty$ per $200=\infty$

Amndred Only) Lab - Incharge P.H.E. Sub- Division P.H.E. Sub- Division Raigarh Raigarh

Copy Forwarded to:-

1. Executive Engineer, Public Health Engineeing Division, Raigarh (C.G.) for necessary action



District Water Testing Laboratory Public Health Engineering Department, Div. Raigarh

Near PHE, Central Store Campus, Chakradhar Nagar Raigarh C.G.

e-mail-: phedrghlab1990@gmail.com

TC-10156

Test Report (Drinking Water)

Report no. DL/PHED/RGH 649	Discipline-: Chemical Testing	Group-: Drinking Water	ULR no: TC101562300000006	49F	
Senders Name :-	Senders letter no./Date	25/24.11.2023	Sampled by	By Client	
Chief Managing Director Mr. Naresh Kumar Sahu SF Water Purifier,	Sample collection date	28.11.2023	Sampling Plan & procedure	Sampling is Not done b laboratory staff	
	DL receipt no.	234	DL Receipt date	28.11.2023	
	Date of analysis started	28.11.2023	Date of analysis completed	28.11.2023	

Sample Details

S No.	Sample ID	District/Block	Panchayat/Village	Habitation	Location/Source ID/GPS Identification
1	DL/RGH/LAB-23/3107	Raigarh	Raigarh		SF R.O. Water, SF Water Purifier

Details of parameters their test method units and specification as per IS:3025/APHA

S. No.	Parameters	Test method IS:3025/APHA 23rd ed.		unit	2012(Secon	S-10500- nd Rev) for ng water			Results		
1001001001		method	Part no.		Acceptable Limit	Permissible Limit	1	2	3	4	5
1	2	3	4	5	6	7					
1*	Colour	APHA23rd	2120-В	Hazen	5	15	1				
2*	Odour	IS:3025	Part 5		Agreable	Agreable	Agr.				
3*	TDS (Total Dissolved Solids)	APHA23rd ed	Part-2540-C	mg/l.	500	2000	120				
4*	Chloride as Cl-	APHA23rd ed	Part-4500-Cl- B	mg/l.	250	1000	5.79				
5*	Alkalinity as CaCO3	APHA23rd	Part-3220- B	mg/l.	200	600	72				
6*	Total Hardness as CaCO3	APHA23rd ed	Part-2340- C	mg/l.	200	600	95.5				
7*	Calcium as Ca2+	APHA23rd ed	3500- Ca- B	mg/l.	75	200	8.14				
8*	Magnesium as Mg2+	APHA23rd ed	3500- Mg-B	mg/l.	30	757 100	18.27				
9*	Ph	IS:3025	Part-11	pH Scale	6.5-8.5	No Relaxation	9.24				
10*	Turbidity	IS:3025	Part-10	NTU	1	5	0.12				

^{1.} The report should not be produced partly or full without approval signatory authority of legal purpose.

2. Sampling not done by Lab staff.

Issue no./date. 649/30.11.2023 Page no.01/02

(Raju George)
Authorized Signatory (NABL)

^{2.} It is recommended that acceptable limit is to be implemented. Values in excess of those mentioned under "acceptable" render the water not suitable, but still may be tolerated in the absence of an alternative source but up to the limits indicated under the "permissible" limit in the absence of alternate source in column 7 above which the sources will have to be rejected.

^{3.} The results refer only to tested samples and parameters.

^{4.} Samples will be stored for a period of 10 days from date of issue of report.

^{5.} This Lab does not hold any responsibility for variation in results for samples kept on hold for wants of clarification.

Remarks - 1. Results apply to the sample as received.

District Water Testing Laboratory

Public Health Engineering Department, Div. Raigarh

Near PHE, Central Store Campus, Chakradhar Nagar Raigarh C.G.

e-mail-: phedrghlab1990@gmail.com
Test Report (Drinking Water)

Report no. DL/PHED/RGH 649	Discipline-: Chemical Testing	Group-: Drinking Water					
Senders Name :- Chief Managing Director	Senders letter no./Date	25/24.11.2023	Sampled by	By Client			
	Sample collection date	28.11.2023	Sampling Plan & procedure	Sampling is Not done by laboratory staff			
Mr. Naresh Kumar Sahu	DL receipt no.	234	DL Receipt date	28.11.2023			
SF Water Purifier, Raigarh(C.G.)	Date of analysis started	28.11.2023	Date of analysis completed	29.11.2023			

Sample Details

S No.	Sample ID	District/Block	Panchayat/Village	Habitation	Location/Source ID/GPS Identification
1	DL/RGH/LAB-23/3107	Raigarh	Raigarh		SF R.O. Water, SF Water Purifier
	*				

Details of parameters their test method units and specification as per IS:3025/APHA

S. No.	Parameters		S:3025/APHA l ed.	unit	2012(Secon	S-10500- nd Rev) for ng water			Results		
5.110.	Tarameters	method	Part no.		Acceptable Limit	Permissible Limit	1	2	3	4	5
1	2	3	4	5	6	7					
1*	Iron	APHA23rd ed	3500-Fe-B	mg/L	0.3	01	0.01				
2*	Nitrates	APHA23rd ed	4500-NO ₃ B	mg/L	45	45	5				
3*	Fluoride	APHA23rd ed	4500-F - C	mg/l.	1.0	1.5	0.04				
4*	Sulphate	APHA23rd ed	IS:3025	mg/l.	200	400	72.5				
5*	Conductivity	IS:3025	Part- 14	μmho/cm		-	180				
6*	Total Coliform	-		CFU/100ml	Nil	Nil	0 (24 Hours)				
7*	Residual Chlorin	-	-	mg/l.	0.2	1	-				
8*	Test	IS:3025	Part- 8	_	Agreable	Agreable	Agr.				

1. The report should not be produced partly or full without approval signatory authority of legal purpose.

3. The results refer only to tested samples and parameters.

4. Samples will be stored for a period of 10 days from date of issue of report.

5. This Lab does not hold any responsibility for variation in results for samples kept on hold for wants of clarification. Remarks - 1. Results apply to the sample as received.

2. Sampling not done by Lab staff.

Chemist / Lab Incharge

District Water Testing Laboratory

P.H.E.D. Raigarh C.G

Lab Assistant

District Water Testing Laboratory

P.H.E.D. Raigarh C.G

Issue no./date. 649/30.11.2023 Page no.02/02

^{2.} It is recommended that acceptable limit is to be implemented. Values in excess of those mentioned under "acceptable" render the water not suitable, but still may be tolerated in the absence of an alternative source but up to the limits indicated under the "permissible" limit in the absence of alternate source in column 7 above which the sources will have to be rejected.



District Water Testing Laboratory Public Health Engineering Department, Div. Raigarh

Near PHE, Central Store Campus, Chakradhar Nagar Raigarh C.G.

e-mail-: phedrghlab1990@gmail.com

Test Report (Drinking Water)

	TC-10156		Test	Report ()	Drinking	water)					
Report	no. DL/PHED/RGH 648	Discipline-: C Testing	hemical	Group-: Dr	inking Water	ULR no: TO	C10156230	00000064	8F		
Senders Name :-		Name :- Senders letter no./Date		25/24.11.2023		Sampled by			By Client		
Chief Managing Director		Sample collec	tion date	28.1	1.2023	Sampling Pla	n & procee	lure	Sampling is Not done by laboratory staff		
	Naresh Kumar Sahu	DL receipt no		2	234	DL Receipt d	ate			28.11.202	3
SF Water Purifier		Date of analys	is started	28.1	1.2023	Date of analys	sis complet	ted	28.11.2023		
				Sample	e Details						
S No.	Sample ID	Distric	t/Block	Panchay	at/Village	Habita	tion	Location	/Source II)/GPS Idea	ntificatio
1	DL/RGH/LAB-23/3106				garh			Tap Na	l Water,	SF Water	Purifie
	Detail	s of paramet	ters their tes	t method u			per IS:3	025/AP	HA		
S. No.	Parameters		S:3025/APHA d ed.	unit	2012(Seco	IS-10500- and Rev) for ng water		Results			
3, 110,	rarameters	method	Part no.	um	Acceptable Limit	Permissible Limit	1	2	3	4	5
1	2	3	4	5	6	7					
1*	Colour	APHA23rd ed	2120-В	Hazen	5	15	1				
2*	Odour	IS:3025	Part 5	(#)	Agreable	Agreable	Agr.				
3*	TDS (Total Dissolved Solids)	APHA23rd ed	Part-2540-C	mg/l.	500	2000	465				
4*	Chloride as Cl-	APHA23rd ed	Part-4500-Cl-B	mg/l.	250	1000	44.39				
5*	Alkalinity as CaCO3	APHA23rd	Part-3220- B	mg/l.	200	600	254				
6*	Total Hardness as CaCO3	APHA23rd ed	Part-2340- C	mg/l.	200	600	351.54				
7*	Calcium as Ca2+	APHA23rd ed	3500- Ca- B	mg/l.	75	200	83.89				
8*	Magnesium as Mg2+	APHA23rd ed	3500- Mg-B	mg/l.	30	100	34.56				
9*,	Pla	IS:3025	Part-11	pH Scale	6.5-8.5	No Relaxation	7.22				
10*	Turbidity	IS:3025	Part-10	NTU	1	5	1.3				

The report should not be produced partly or full without approval signatory authority of legal purpose.

Issue no./date. 648/30.11.2023 Page no.01/02

(Raju George)
Authorized Signatory (NABL)

^{2.} It is recommended that acceptable limit is to be implemented. Values in excess of those mentioned under "acceptable" render the water not suitable, but still may be tolerated in the absence of an alternative source but up to the limits indicated under the "permissible" limit in the absence of alternate source in column 7 above which the sources will have to be rejected.

^{3.} The results refer only to tested samples and parameters.

^{4.} Samples will be stored for a period of 10 days from date of issue of report.

^{5.} This Lab does not hold any responsibility for variation in results for samples kept on hold for wants of clarification. Remarks - 1. Results apply to the sample as received.

^{2.} Sampling not done by Lab staff.

District Water Testing Laboratory Public Health Engineering Department, Div. Raigarh

Near PHE, Central Store Campus, Chakradhar Nagar Raigarh C.G.

e-mail-: phedrghlab1990@gmail.com

Test Report (Drinking Water)

		D:			0	1					
Report	no. DL/PHED/RGH. – 648	Discipline-: C Testing	nemicai	Group-: Dri	nking Water						
Senders Name :-		Senders letter	no./Date	25/24.11.2023		Sampled by			By Client		
Chief Managing Director		Sample collec	tion date	28.11	.2023	Sampling Pla	n & proce	lure	Sampling is Not done by laboratory staff		
Mr.	Naresh Kumar Sahu	DL receipt no		2.	34	DL Receipt d	ate		28.11.2023		
SF Water Purifier		Date of analys	is started	28.11	.2023	Date of analys	sis comple	ted		29.11.202.	3
				Sample	Details						
S No.	Sample ID	Distric	t/Block	Panchayat/Village		Habita	tion	Location	/Source II	/GPS Ide	ntification
1	DL/RGH/LAB-23/3106	Raigarh		Raig	garh			Tap Na	Water,	SF Water	Purific
	4										
Details of parameters their t Test method IS:3025/APH 23rd ed.		S:3025/APHA	t method un	As per l 2012(Seco	cification as IS-10500- nd Rev) for	per IS:3	6025/AP	HA Results			
S. No.	Parameters	method	Part no.	um	Acceptable Limit	Permissible Limit	1	2	3	4	5
1	2	3	4	5	6	7					
1*	Iron	APHA23rd ed	3500-Fe-B	mg/l.	0.3	01	0.02				
2*	Nitrates	APHA23rd ed	4500-NO ₃ B	mg/l.	45	45	5				
3*	Fluoride	APHA23rd ed	4500-F - C	mg/l.	1.0	1.5	0.34				
4*	Sulphate	APHA23rd ed	IS:3025	mg/l.	200	400	109.6				
5*	Conductivity	IS:3025	Part- 14	μmho/cm	4.5	-	717				
6*	Total Coliform	-	-	CFU/100ml	Nil	Nil	0 (24 Hours)				
6* 7*	Total Coliform Residual Chlorin			CFU/100ml mg/l.	Nil 0.2	Nil 1	57.0				

1. The report should not be produced partly or full without approval signatory authority of legal purpose.

3. The results refer only to tested samples and parameters.

4. Samples will be stored for a period of 10 days from date of issue of report.

5. This Lab does not hold any responsibility for variation in results for samples kept on hold for wants of clarification.

Remarks - 1. Results apply to the sample as received.

2. Sampling not done by Lab staff.

Dist

Chemist / Lab Incharge
District Water Testing Laboratory

P.H.E.D. Raigarh C.G

Lab Assistant

District Water Testing Laboratory

P.H.E.D. Raigarh C.G

Issue no./date. 648/30.11.2023 Page no.02/02

^{2.} It is recommended that acceptable limit is to be implemented. Values in excess of those mentioned under "acceptable" render the water not suitable, but still may be tolerated in the absence of an alternative source but up to the limits indicated under the "permissible" limit in the absence of alternate source in column 7 above which the sources will have to be rejected.